Compatibility Temperature Limits for Standard Bag Materials

Media	Organic Solvents	Vegatables Oils	Micro Organisms	Alkalies	Organic Acids	Oxidizing Agents	Mineral Acids	Temperature Limitations
Polyester	Excellent	Excellent	Excellent	Good	Good	Good	Good	325 F
Polypropylene	Excellent	Excellent	Excellent	Excellent	Excellent	Good	Good	225 F
Nylon	Excellent	Excellent	Excellent	Good	Fair	Poor	Poor	325 F
Nomex Nylon	Excellent	Excellent	Excellent	Good	Fair	Poor	Poor	475 F
Teflon	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	Excellent	500 F